

HAM15-0325



HIGHLY ACTIVE ANTIRETROVIRAL THERAPY PRESCRIPTIONS IN NAIVE PATIENTS: IMPROVEMENT PLAN

A. Rodríguez-Perez1, M.I. Sierra-Torres1, M.D. Toscano-Guzmán1, A. Monzón-Moreno1, M. Soriano-Martinez1, A. Lluch-Colomer1, M.D. Santos-Rubio1

1UGC Farmacia. Hospital Universitario Virgen del Rocío. Seville. Spain

TAR DE INICIO 2 ITIAN + 11TINN Ó 1IP/r Ó 1Inint Los 2 ITIAN recomendados son TDF/FTC y ABC/3TC

TDF/FTC (245/200 mg) TRUVADA

er Fármaco	Nombres comerciales	Tomas
EFV (600 mg)	ATRIPLA	QD
RPV (25mg)	EVIPLERA	QD
NVP (400 mg). 200mg 1°s 2 sem.	TRUVADA + NEVIRAPINA	QD
DRV/r (800 mg)	TRUVADA + PREZISTA + NORVIR	QD
ATV 300/r QD	TRUVADA + ATAZANAVIR + NORVIR	QD
LPV/r	TRUVADA + KALETRA	BID/QD
RAL	TRUVADA + ISENTRESS	BID
	EFV (600 mg) RPV (25mg) NVP (400 mg). 200mg 1*s 2 sem. DRV/r (800 mg) ATV 300/r QD LPV/r	EFV (600 mg)

ABC/3TC (600/300mg) KIVEXA

3	er Fármaco	Nombres comerciales	Tomas	
ITINN	EFV	KIVEXA + SUSTIVA	QD	
	ATV 300 /r	KIVEXA + ATAZANAVIR + NORVIR	QD	
IP/r	LPV/r	KIVEXA + KALETRA	BID/QD	
InInt	RAL	KIVEXA + ISENTRESS	BID	

NO RECOMENDADAS	
KIVEXA + EDURANT	
KIVEXA + PREZISTA	

Table with the allowed and not allowed antirretroviral combinations

WHAT WAS DONE?

An easy-to-read handout that summarized the main recommendations of GESIDA for the treatment of naive patients, treated with highly active antiretroviral therapy(HAART).







WHY WAS IT DONE?

According to the guidelines and recommendations for the rational use of medication, prescriptions of HAARTs must be standardized following the principles of efficiency and based on the best evidence available.

WHAT HAS BEEN ACHIEVED? 71 naive patients evaluated Implementation of the GPI 100 naive patients **Clinical sessions** 7% deviations to the evaluated recommmendations **∠** THREE OF THEM 11% deviations to the JUSTIFIED (Because of recommmendations **COMORBIDITY THAT №** NONE OF THEM **Retrospective chart** Prospective char CONTRAINDICATED THE review **JUSTIFIED** review RECOMMENDED MEDICATION) **BEFORE AFTER** 6 MONTHS 6 MONTHS Follow up of this 6/11 changed to a patients recommended HAART

HOW WAS IT DONE?

We did not have any problem implementing these recommendations or organizing the clinical sessions

WHAT NEXT?

The multidisciplinary team has periodic meetings to evaluate the adherence to the recommendations and to study news reported by GESIDA. The economic impact of the practice is planned to be evaluated