



CP-047. IMPACT OF PHARMACEUTICAL INTERVENTIONS IN DIGOXIN DOSE ADJUSTMENT ACCORDING TO STOPP/START CRITERIA

M Moro Agud, S Andrés Morera, L Baladé Martínez, M Ruiz de Hoyos, MJ De Domingo Gadea, A Herrero Ambrosio . University Hospital La Paz, Madrid, Spain.

BACKGROUND

The use of STOPP/START criteria is part of the daily routine during pharmaceutical validation. One important pharmaceutical intervention is to recommend digoxin dose adjustment in elderly patients when it is prescribed 0.25 mg per day. Digoxin is a high-risk medication; therefore, its correct use is important to prevent serious harm to patients.

PURPOSE

□ Analyse the impact of pharmaceutical interventions related to digoxin dose adjustment in elderly patients.

MATERIAL AND METHODS


- Pharmaceutical interventions recorded between January and June 2015 in a university tertiary hospital were analyzed. Recommendations regarding digoxin dose adjustment in patients over 75 years old with 0.25 mg prescribed were selected.
- □ The following **variables** were measured:

RESULTS

□ There collected were 77 pharmaceutical interventions concerning digoxin dose adjustment in elderly patients. Patients average age was 86.2 (SD 5.7) years old. After recommendation, (81.8%) pharmacist 63 prescriptions were modified.

CONCLUSIONS

- Physicians are increasingly conscious about the need of digoxin dose adjustment in elderly patients. This has been confirmed by the high rate of recommendation acceptance obtained.
- □ The fact that, at least, one case of digitalis toxicity occurred, enforces the importance of applying this criterion.



REFERENCES

Inappropriate prescribing in polymedicated patients over 64 years-old in primary care]. Filomena Paci J, García Alfaro M, Redondo Alonso FJ, Fernández San-Martín MI, Grupo Polimedicación Litoral. Aten Primaria. 2015;47(1):38-47. Spanish.

- ✓ Patient age
- ✓ Digoxin dosage
- ✓ Dose reductions
- ✓ Intervention acceptance
- ✓ Changes in frequency of administration
- ✓ Digoxine substitutions
- ✓ Consequences of unchanged prescriptions