

**TCH-038** 

# Shortage of sterile calcium gluconate stock solution for parenteral nutrition : what is the alternative and how much does it cost?

V. Siorat<sup>1</sup>, C. Serrano<sup>1</sup>, P. Joret<sup>1</sup>, P. Vaconsin<sup>1</sup>, F. Brion<sup>2</sup>, T. Storme<sup>1</sup>, M. Perrinet<sup>1</sup> <sup>1</sup>AP-HP (Hôpital Robert Debré), Pharmacy, Paris, France, <sup>2</sup>Univ Paris Descartes, Clinical Pharmacy, Paris, France.



## Background

The Total Parenteral Nutrition (TPN) production facility of the pediatric hospital R. Debré produces **around 20,000 units per year** with 2 Baxa EM2400 compounders.

In June 2012, a shortage of the calcium source (10% sterile solution of calcium gluconate in 500 mL Bottle) occurred. To overcome this problem, we first tried to **import an alternative source** but the administrative delay was too long. The only sources available within a month were **10 mL plastic or glass ampoules**. The estimated consumption was around 300 ampoules per production day.

To maintain efficiency and safety of the TPN facility, it has been decided to settle a **calcium gluconate bags production** from 10mL ampoules by sterilizing filtration to maintain the safety of preparation.

#### Purpose

Evaluate the overcost caused by setting up this production and the time raised.

## **Materials and Methods**

The Pharmacy compounded calcium gluconate bags (250 mL) made from plastic ampoules (picture 1) after filtration (0.22µm filters (Sterivex Millipore)) (picture 2), using a Repeater Pump<sup>®</sup> (Baxter) (picture 3), in a laminar air flow cabinet.

The cost of setting a new procedure and of the compounding were evaluated in different subparts (materials, control, staff).



Picture 2

Picture 1

Picture 3

### Results

**228 bags** were produced for this 20 days of production shortage (19 batches of 12 bags).

![](_page_0_Figure_18.jpeg)

![](_page_0_Picture_19.jpeg)

Time raised to set up the production (in half day) :

![](_page_0_Picture_21.jpeg)

#### - information search : 10

- tests sessions out of the laminar air flow cabinet : 2
  - calculate new flow factors : 2
  - writing procedure : 3
  - process validation within the compounding facility : 2
  - personnel training : 3, and assessment : 4

## Conclusions

Despite a major overcost, compounding calcium gluconate bags has ensured the TPN facility to continue its production. From a risk assessment point of view, identification of various suppliers and increasing stocks of the raw materials would allow easier management in case of stockout.

18th Congress of the EAHP, Palais des Congrès, 13-15 March 2013, Paris, France